

HWS-Schulter

Wichtigste Bücher

- Jull, G., M. Sterling, et al. (2008). Whiplash, Headache and Neck Pain. Sydney, Elsevier.
- Sterling, M., et al. (2011). Whiplash: evidence base for clinical practice Churchill Livingstone Australia ISBN 978-0-7295-3946-3
- Abbott, R., et al. (2015). "The geography of fatty infiltrates within the cervical multifidus and semispinalis cervicis in individuals with chronic whiplash-associated disorders." J Orthop Sports Phys Ther **45**(4): 281-288.
- Alghadir, A., et al. (2016). "Effect of sitting postures and shoulder position on the cervicocephalic kinesthesia in healthy young males." Somatosens Mot Res **33**(2): 93-98.
- Antonaci, F., et al. (2011). "Cervicogenic headache: a real headache." Curr Neurol Neurosci Rep **11**(2): 149-155.
- Arroll, B., et al. (2005). "Effect of the addition of a "help" question to two screening questions on specificity for diagnosis of depression in general practice: diagnostic validity study." BMJ **331**(7521): 884.
- Arvidsson, I., et al. (2008). "Follow-up study of musculoskeletal disorders 20 months after the introduction of a mouse-based computer system." Scand J Work Environ Health **34**(5): 374-380.
- Baghi, R., et al. (2016). "Differential Activation of the Dorsal Neck Muscles During a Light Arm-Elevation Task in Patients With Chronic Nonspecific Neck Pain and Asymptomatic Controls: An Ultrasonographic Study." PM R.
- Baker, D.G., et al. (2004). "An analysis of the ratio and relationship between upper body pressing and pulling strength." J Strength Cond Res **18**(3): 594-598.
- Bank, P.J., et al. (2011). "Comparing the efficacy of metronome beeps and stepping stones to adjust gait: steps to follow!" Exp Brain Res **209**(2): 159-169.
- Barlow, D., et al. (1980). "Cervico-ocular reflex in the normal adult." Acta Otolaryngol **89**(5-6): 487-496.
- Bartsch, M., et al. (2010). "Diagnostic values of clinical tests for subscapularis lesions." Knee Surg Sports Traumatol Arthrosc **18**(12): 1712-1717.
- Basteris, A., et al. (2016). "Evaluating the neck joint position sense error with a standard computer and a webcam." Man Ther **26**: 231-234.
- Batham, C., et al. (2016). "A risk assessment study on work-related musculoskeletal disorders among dentists in Bhopal, India." Indian J Dent Res **27**(3): 236-241.
- Beard, D.J., et al. (2017). "Arthroscopic subacromial decompression for subacromial shoulder pain (CSAW): a multicentre, pragmatic, parallel group, placebo-controlled, three-group, randomised surgical trial." Lancet.
- Bennell, K., et al. (2010). "Efficacy of standardised manual therapy and home exercise programme for chronic rotator cuff disease: randomised placebo controlled trial." BMJ **340**: c2756.
- Bexander, C.S., et al. (2005). "Effect of gaze direction on neck muscle activity during cervical rotation." Exp Brain Res. **167**(3): 422-432. Epub 2005 Sep 2029.
- Bizzarri, P., et al. (2017). "Thoracic manual therapy is not more effective than placebo thoracic manual therapy in patients with shoulder dysfunctions: A systematic review with meta-analysis." Musculoskelet Sci Pract **33**: 1-10.
- Blanpied, P.R., et al. (2017). "Neck Pain: Revision 2017." J Orthop Sports Phys Ther **47**(7): A1-A83.
- Boettcher, C.E., et al. (2009). "The 'empty can' and 'full can' tests do not selectively activate supraspinatus." J Sci Med Sport **12**(4): 435-439.
- Bokaee, F., et al. (2016). "Comparison of isometric force of the craniocervical flexor and extensor muscles between women with and without forward head posture." Cranio **34**(5): 286-290.
- Bolton, P.S., et al. (2000). "Neck afferent involvement in cardiovascular control during movement." Brain Res Bull **53**(1): 45-49.
- Boyd Clark, L.C., et al. (2002). "Muscle spindle distribution, morphology, and density in longus colli and multifidus muscles of the cervical spine." Spine **27**(7): 694-701.
- Brage, K., et al. (2015). "Pain education combined with neck- and aerobic training is more effective at relieving chronic neck pain than pain education alone--A preliminary randomized controlled trial." Man Ther **20**(5): 686-693.
- Butler, D. (2000). The Sensitive Nervous System, Noigroup Publications: 430.
- Calley, D.Q., et al. (2010). "Identifying patient fear-avoidance beliefs by physical therapists managing patients with low back pain." J Orthop Sports Phys Ther **40**(12): 774-783.
- Carr, A.J., et al. (2015). "Clinical effectiveness and cost-effectiveness of open and arthroscopic rotator cuff repair [the UK Rotator Cuff Surgery (UKUFF) randomised trial]." Health Technol Assess **19**(80): 1-218.
- Castelein, B., et al. (2016). "Serratus anterior or pectoralis minor: Which muscle has the upper hand during protraction exercises?" Man Ther **22**: 158-164.
- Castelein, B., et al. (2016). "Modifying the shoulder joint position during shrugging and retraction exercises alters the activation of the medial scapular muscles." Man Ther **21**: 250-255.
- Chester, R., et al. (2016). "Psychological factors are associated with the outcome of physiotherapy for people with shoulder pain: a multicentre longitudinal cohort study." Br J Sports Med.
- Chester, R., et al. (2013). "Predicting response to physiotherapy treatment for musculoskeletal shoulder pain: a systematic review." BMC Musculoskelet Disord **14**: 203.

- Chiarotto, A., et al. (2015). "Predictors of outcome following a short multimodal rehabilitation program for patients with whiplash associated disorders." *Eur J Phys Rehabil Med* **51**(2): 133-141.
- Chien, A., et al. (2005). "Central hypersensitivity in whiplash: implications for physiotherapy assessment and management." *Physical Therapy Reviews* **10**(4): 237-245.
- Childress, M.A., et al. (2016). "Nonoperative Management of Cervical Radiculopathy." *Am Fam Physician* **93**(9): 746-754.
- Claus, A.P., et al. (2009). "Different ways to balance the spine: subtle changes in sagittal spinal curves affect regional muscle activity." *Spine (Phila Pa 1976)* **34**(6): E208-214.
- Claus, A.P., et al. (2016). "Thoracic and lumbar posture behaviour in sitting tasks and standing: Progressing the biomechanics from observations to measurements." *Appl Ergon* **53 Pt A**: 161-168.
- Cook, C., et al. (2014). "The addition of cervical unilateral posterior-anterior mobilisation in the treatment of patients with shoulder impingement syndrome: a randomised clinical trial." *Man Ther* **19**(1): 18-24.
- Copurgensli, C., et al. (2016). "A comparison of the effects of Mulligan's mobilization and Kinesio taping on pain, range of motion, muscle strength, and neck disability in patients with cervical spondylosis: A randomized controlled study1." *J Back Musculoskelet Rehabil.*
- Cote, P., et al. (2016). "Management of neck pain and associated disorders: A clinical practice guideline from the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration." *Eur Spine J* **25**(7): 2000-2022.
- Criado, L., et al. (2016). "Electromyographic biofeedback training for reducing muscle pain and tension on masseter and temporal muscles: A pilot study." *J Clin Exp Dent* **8**(5): e571-e576.
- De Pauw, R., et al. (2016). "Does muscle morphology change in chronic neck pain patients? - A systematic review." *Man Ther* **22**: 42-49.
- Del Grande, F., et al. (2016). "High-Resolution 3-T Magnetic Resonance Imaging of the Shoulder in Nonsymptomatic Professional Baseball Pitcher Draft Picks." *J Comput Assist Tomogr* **40**(1): 118-125.
- Della Casa, E., et al. (2014). "Head-eye movement control tests in patients with chronic neck pain; inter-observer reliability and discriminative validity." *BMC Musculoskelet Disord* **15**: 16.
- Dieterich, A.V., et al. (2016). "Shear wave elastography reveals different degrees of passive and active stiffness of the neck extensor muscles." *Eur J Appl Physiol.*
- Dockery, M.L., et al. (1998). "Electromyography of the shoulder: an analysis of passive modes of exercise." *Orthopedics* **21**(11): 1181-1184.
- Dunn, W.R., et al. (2014). "Symptoms of pain do not correlate with rotator cuff tear severity: a cross-sectional study of 393 patients with a symptomatic atraumatic full-thickness rotator cuff tear." *J Bone Joint Surg Am* **96**(10): 793-800.
- Ekim, A.A., et al. (2016). "Continuous passive motion in adhesive capsulitis patients with diabetes mellitus: A randomized controlled trial." *J Back Musculoskelet Rehabil* **29**(4): 779-786.
- El-Abd, A.M., et al. (2016). "Efficacy of kinesio taping versus postural correction exercises on pain intensity and axioscapular muscles activation in mechanical neck dysfunction: a randomized blinded clinical trial." *J Sports Med Phys Fitness.*
- Elliott, J., et al. (2006). "Fatty infiltration in the cervical extensor muscles in persistent whiplash-associated disorders: a magnetic resonance imaging analysis." *Spine*, **31**(22): E847-855.
- Elliott, J., et al. (2011). "The temporal development of fatty infiltrates in the neck muscles following whiplash injury: an association with pain and posttraumatic stress." *PLoS One* **6**(6): e21194.
- Elliott, J.M. (2011). "Are there implications for morphological changes in neck muscles after whiplash injury?" *Spine (Phila Pa 1976)* **36**(25 Suppl): S205-210.
- Elliott, J.M., et al. (2015). "The Rapid and Progressive Degeneration of the Cervical Multifidus in Whiplash: A MRI study of Fatty Infiltration." *Spine (Phila Pa 1976).*
- Elliott, J.M., et al. (2015). "The Rapid and Progressive Degeneration of the Cervical Multifidus in Whiplash: An MRI Study of Fatty Infiltration." *Spine (Phila Pa 1976)* **40**(12): E694-700.
- Elliott, J.M., et al. (2014). "Mechanisms underlying chronic whiplash: contributions from an incomplete spinal cord injury?" *Pain Med* **15**(11): 1938-1944.
- Elliott, J.M., et al. (2010). "Magnetic resonance imaging findings of fatty infiltrate in the cervical flexors in chronic whiplash." *Spine (Phila Pa 1976)* **35**(9): 948-954.
- Elliott, J.M., et al. (2010). "Cranio-cervical orientation affects muscle activation when exercising the cervical extensors in healthy subjects." *Arch Phys Med Rehabil* **91**(9): 1418-1422.
- Falla, D., et al. (2017). "People With Chronic Neck Pain Walk With a Stiffer Spine." *J Orthop Sports Phys Ther*: 1-33.
- Falla, D., et al. (2003). "An electromyographic analysis of the deep cervical flexor muscles in performance of craniocervical flexion." *Phys Ther* **83**(10): 899-906.
- Falla, D., et al. (2004). "Neuromuscular efficiency of the sternocleidomastoid and anterior scalene muscles in patients with chronic neck pain." *Disabil Rehabil.* **26**(12): 712-717.
- Falla, D., et al. (2004). "Unravelling the complexity of muscle impairment in chronic neck pain Neuromuscular efficiency of the sternocleidomastoid and anterior scalene muscles in patients with chronic neck pain." *Man Ther.* **9**(3): 125-133.
- Falla, D., et al. (2005). "Further evaluation of an EMG technique for assessment of the deep cervical flexor muscles." *J Electromyogr Kinesiol* **13**: 13.
- Falla, D., et al. (2007). "Effect of neck exercise on sitting posture in patients with chronic neck pain." *Phys Ther* **87**(4): 408-417.
- Falla, D., et al. (2007). "Effect of neck exercise on sitting posture in patients with chronic neck pain." *Phys Ther.* **87**(4): 408-417. Epub 2007 Mar 2006.

- Falla, D., et al. (2006). "Recruitment of the deep cervical flexor muscles during a postural-correction exercise performed in sitting." *Man Ther* **7**: 7.
- Falla, D., et al. (2016). "Perceived pain extent is associated with disability, depression and self-efficacy in individuals with whiplash-associated disorders." *Eur J Pain* **20**(9): 1490-1501.
- Falla, D.L., et al. (2003). "Relationship between cranio-cervical flexion range of motion and pressure change during the cranio-cervical flexion test." *Man Ther* **8**(2): 92-96.
- Falla, D.L., et al. (2004). "Patients with neck pain demonstrate reduced electromyographic activity of the deep cervical flexor muscles during performance of the craniocervical flexion test." *Spine*, **29**(19): 2108-2114.
- Fejer, R., et al. (2006). "The prevalence of neck pain in the world population: a systematic critical review of the literature." *Eur Spine J* **15**(6): 834-848.
- Ferber Viart, C., et al. (1999). "Vestibular evoked myogenic potentials in humans: a review." *Acta Otolaryngol* **119**(1): 6-15.
- Ferber Viart, C., et al. (1997). "Myogenic vestibular-evoked potentials in normal subjects: a comparison between responses obtained from sternomastoid and trapezius muscles." *Acta Otolaryngol* **117**(4): 472-481.
- Fernandez-De-Las-Penas, C., et al. (2008). "Cross-sectional area of cervical multifidus muscle in females with chronic bilateral neck pain compared to controls." *J Orthop Sports Phys Ther* **38**(4): 175-180.
- Florencio, L.L., et al. (2016). "Active Trigger Points in the Cervical Musculature Determine Altered Activation of Superficial Neck and Extensor Muscles in Women with Migraine." *Clin J Pain*.
- Florencio, L.L., et al. (2017). "Active Trigger Points in the Cervical Musculature Determine the Altered Activation of Superficial Neck and Extensor Muscles in Women With Migraine." *Clin J Pain* **33**(3): 238-245.
- Florencio, L.L., et al. (2016). "Patients with chronic, but not episodic, migraine display altered activity of their neck extensor muscles." *J Electromyogr Kinesiol* **30**: 66-72.
- Gaffney, B.M., et al. (2016). "Evaluation of Novel EMG Biofeedback for Postural Correction During Computer Use." *Appl Psychophysiol Biofeedback* **41**(2): 181-189.
- Gallego Izquierdo, T., et al. (2016). "Comparison of cranio-cervical flexion training versus cervical proprioception training in patients with chronic neck pain: A randomized controlled clinical trial." *J Rehabil Med* **48**(1): 48-55.
- Ge, H.Y., et al. (2006). "Sympathetic facilitation of hyperalgesia evoked from myofascial tender and trigger points in patients with unilateral shoulder pain." *Clin Neurophysiol* **117**(7): 1545-1550.
- Gildea, J.E., et al. (2015). "Trunk Dynamics Are Impaired in Ballet Dancers with Back Pain but Improve with Imagery." *Med Sci Sports Exerc* **47**(8): 1665-1671.
- Gizzi, L., et al. (2015). "Experimental Muscle Pain Impairs the Synergistic Modular Control of Neck Muscles." *PLoS One* **10**(9): e0137844.
- Grant, R., et al. (1997). "Active stabilisation training for screen based keyboard operators - a single case study." *Aust J Physiother*, **43**(4): 235-242.
- Grant, R., et al. (1997). "Active stabilisation training for screen based keyboard operators - a single case study." *Aust J Physiother* **43**(4): 235-242.
- Grant, R.J., et al. (1997). "Active stabilisation training for screen based keyboard operators- a single case study." *Australian Journal of Physiotherapy* **43**: 235-242.
- Groeneweg, R., et al. (2017). "Treatment success in neck pain: The added predictive value of psychosocial variables in addition to clinical variables." *Scand J Pain* **14**: 44-52.
- Gross, A., et al. (2015). "Exercises for mechanical neck disorders." *Cochrane Database Syst Rev* **1**: CD004250.
- Group, M.S., et al. (2014). "The duration of symptoms does not correlate with rotator cuff tear severity or other patient-related features: a cross-sectional study of patients with atraumatic, full-thickness rotator cuff tears." *J Shoulder Elbow Surg* **23**(7): 1052-1058.
- Hall, T., et al. (2010). "Reliability of manual examination and frequency of symptomatic cervical motion segment dysfunction in cervicogenic headache." *Man Ther* **15**(6): 542-546.
- Hall, T.M., et al. (2010). "The relationship between cervicogenic headache and impairment determined by the flexion-rotation test." *J Manipulative Physiol Ther* **33**(9): 666-671.
- Halvorsen, M., et al. (2016). "Short- and long-term effects of exercise on neck muscle function in cervical radiculopathy: A randomized clinical trial." *J Rehabil Med* **48**(8): 696-704.
- Hannecke, V., et al. (2001). "[Metabolic differentiation of the human longus colli muscle]." *Morphologie* **85**(269): 9-12.
- Hannecke, V., et al. (2001). "[Fetal development and postnatal maturation of the longus colli muscle]." *Morphologie* **85**(269): 13-17.
- Hansson, E.E., et al. (2006). "Dizziness among patients with whiplash associated Disorders: a randomised controlled trial." *J Rehabil Med* **38**: 387-390.
- Hansson, G.A., et al. (2000). "Sensitivity of trapezius electromyography to differences between work tasks - influence of gap definition and normalisation methods." *J Electromyogr Kinesiol* **10**(2): 103-115.
- Hayman, M.R., et al. (1997). "Changes in dorsal neck muscle activity related to imposed eye movement in the decerebrate pigeon." *Neuroscience* **79**(3): 943-956.
- Heikkila, H.V., et al. (1998). "Cervicocephalic kinesthetic sensibility, active range of cervical motion, and oculomotor function in patients with whiplash injury." *Arch Phys Med Rehabil* **79**(9): 1089-1094.
- Helgadottir, H., et al. (2010). "Altered scapular orientation during arm elevation in patients with insidious onset neck pain and whiplash-associated disorder." *J Orthop Sports Phys Ther* **40**(12): 784-791.
- Hodges, P.W., et al. (2016). "Increased duration of co-contraction of medial knee muscles is associated with greater progression of knee osteoarthritis." *Man Ther* **21**: 151-158.
- Holmgren, T., et al. (2012). "Supervised strengthening exercises versus home-based movement exercises after arthroscopic acromioplasty: a randomized clinical trial." *J Rehabil Med* **44**(1): 12-18.

- Holtermann, A., et al. (2008). "The influence of biofeedback training on trapezius activity and rest during occupational computer work: a randomized controlled trial." *Eur J Appl Physiol* **104**(6): 983-989.
- Horsley, I., et al. (2016). "Do changes in hand grip strength correlate with shoulder rotator cuff function?" *Shoulder Elbow* **8**(2): 124-129.
- Im, B., et al. (2016). "Effects of scapular stabilization exercise on neck posture and muscle activation in individuals with neck pain and forward head posture." *J Phys Ther Sci* **28**(3): 951-955.
- Ishikawa, H., et al. (2017). "Changes in stiffness of the dorsal scapular muscles before and after computer work: a comparison between individuals with and without neck and shoulder complaints." *Eur J Appl Physiol* **117**(1): 179-187.
- Ivanenko, Y.P., et al. (1999). "Effect of gaze on postural responses to neck proprioceptive and vestibular stimulation in humans." *J Physiol* **519 Pt 1**: 301-314.
- Ivanenko, Y.P., et al. (1999). "Support stability influences postural responses to muscle vibration in humans." *Eur J Neurosci* **11**(2): 647-654.
- Ivanenko, Y.P., et al. (1999). "Eye movements during torso rotations in labyrinthine-defective subjects." *J Vestib Res* **9**(6): 401-412.
- Jaggi, A., et al. (2017). "Rehabilitation for Shoulder Instability - Current Approaches." *Open Orthop J* **11**: 957-971.
- Jaggi, A., et al. (2010). "Rehabilitation for shoulder instability." *Br J Sports Med* **44**(5): 333-340.
- Johnston, V., et al. (2010). "Interactive effects from self-reported physical and psychosocial factors in the workplace on neck pain and disability in female office workers." *Ergonomics* **53**(4): 502-513.
- Jorgensen, R., et al. (2014). "Reliability, construct and discriminative validity of clinical testing in subjects with and without chronic neck pain." *BMC Musculoskelet Disord* **15**: 408.
- Jull, G. (2000). Exercise therapy for the neck. Perth, IFOMT.
- Jull, G., et al. (2016). "Does increased superficial neck flexor activity in the craniocervical flexion test reflect reduced deep flexor activity in people with neck pain?" *Man Ther* **25**: 43-47.
- Jull, G., et al. (2007). "Retraining cervical joint position sense: the effect of two exercise regimes." *J Orthop Res* **25**(3): 404-412.
- Jull, G., et al. (2007). "Retraining cervical joint position sense: the effect of two exercise regimes." *J Orthop Res* **25**(3): 404-412.
- Jull, G., et al. (2008). *Whiplash, Headache and Neck Pain*. Sydney, Elsevier.
- Jull, G., et al. (2007). "Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash?--A preliminary RCT." *Pain* **129**(1-2): 28-34.
- Jull, G., et al. (2002). "A randomized controlled trial of exercise and manipulative therapy for cervicogenic headache." *Spine* **27**(17): 1835-1843.
- Jull, G., et al. (1997). "Inter-examiner reliability to detect painful upper cervical joint dysfunction." *Aust J Physiother* **43**(2): 125-129.
- Jull, G.A. (2011). "Considerations in the Physical Rehabilitation of Patients with Whiplash Associated Disorders." *Spine (Phila Pa 1976)*.
- Jull, G.A., et al. (2009). "The effect of therapeutic exercise on activation of the deep cervical flexor muscles in people with chronic neck pain." *Man Ther*.
- Kamper, S.J., et al. (2008). "Course and prognostic factors of whiplash: a systematic review and meta-analysis." *Pain* **138**(3): 617-629.
- Kang, M.H., et al. (2015). "Effects of Crossed Brassiere Straps on Pain, Range of Motion, and Electromyographic Activity of Scapular Upward Rotators in Women With Scapular Downward Rotation Syndrome." *PM R* **7**(12): 1261-1268.
- Karimi, N., et al. (2016). "Ultrasonographic analysis of dorsal neck muscles thickness changes induced by isometric contraction of shoulder muscles: A comparison between patients with chronic neck pain and healthy controls." *Man Ther* **22**: 174-178.
- Kelly, J., et al. (2017). "Clinical prediction rules for prognosis and treatment prescription in neck pain: A systematic review." *Musculoskelet Sci Pract* **27**: 155-164.
- Ketola, S., et al. (2013). "No evidence of long-term benefits of arthroscopic acromioplasty in the treatment of shoulder impingement syndrome: Five-year results of a randomised controlled trial." *Bone Joint Res* **2**(7): 132-139.
- Kibler, W.B., et al. (2013). "Clinical implications of scapular dyskinesis in shoulder injury: the 2013 consensus statement from the 'Scapular Summit'." *Br J Sports Med* **47**(14): 877-885.
- Kim, M.H., et al. (2015). "Effect of a worktable position on head and shoulder posture and shoulder muscles in manual material handling." *Work* **51**(2): 289-292.
- Kim, S.Y., et al. (2016). "Effect of duration of smartphone use on muscle fatigue and pain caused by forward head posture in adults." *J Phys Ther Sci* **28**(6): 1669-1672.
- Kristjansson, E. (2004). "Reliability of ultrasonography for the cervical multifidus muscle in asymptomatic and symptomatic subjects." *Man Ther* **9**(2): 83-88.
- Kristjansson, E., et al. (2001). "Cervicocephalic kinaesthesia: reliability of a new test approach." *Physiother Res Int* **6**(4): 224-235.
- Kristjansson, E., et al. (2003). "A study of five cervicocephalic relocation tests in three different subject groups." *Clin Rehabil* **17**(7): 768-774.
- Kristjansson, E., et al. (2004). "A new clinical test for cervicocephalic kinesthetic sensibility: 'the fly'." *Arch Phys Med Rehabil* **85**(3): 490-495.
- Kristjansson, E., et al. (2010). "'The Fly': a new clinical assessment and treatment method for deficits of movement control in the cervical spine: reliability and validity." *Spine (Phila Pa 1976)* **35**(23): E1298-1305.

- Kristjansson, E., et al. (2009). "Sensorimotor function and dizziness in neck pain: implications for assessment and management." *J Orthop Sports Phys Ther* **39**(5): 364-377.
- Kuhn, J.E., et al. (2013). "Effectiveness of physical therapy in treating atraumatic full-thickness rotator cuff tears: a multicenter prospective cohort study." *J Shoulder Elbow Surg* **22**(10): 1371-1379.
- Kukkonen, J., et al. (2014). "Treatment of non-traumatic rotator cuff tears: A randomised controlled trial with one-year clinical results." *Bone Joint J* **96-B**(1): 75-81.
- Laursen, B., et al. (2001). "Performance and muscle activity during computer mouse tasks in young and elderly adults." *Eur J Appl Physiol* **84**(4): 329-336.
- Lee, K.W., et al. (2016). "Effect of thoracic manipulation and deep craniocervical flexor training on pain, mobility, strength, and disability of the neck of patients with chronic nonspecific neck pain: a randomized clinical trial." *J Phys Ther Sci* **28**(1): 175-180.
- Lewis, J. (2016). "Rotator cuff related shoulder pain: Assessment, management and uncertainties." *Man Ther* **23**: 57-68.
- Lewis, J.S., et al. (2005). "Subacromial impingement syndrome: the role of posture and muscle imbalance." *J Shoulder Elbow Surg* **14**(4): 385-392.
- Lewis, J.S., et al. (2016). "Inter-rater reliability of the Shoulder Symptom Modification Procedure in people with shoulder pain." *BMJ Open Sport Exerc Med* **2**(1): e000181.
- Lindstroem, R., et al. (2012). "Current pain and fear of pain contribute to reduced maximum voluntary contraction of neck muscles in patients with chronic neck pain." *Arch Phys Med Rehabil* **93**(11): 2042-2048.
- Lindstrom, R., et al. (2011). "Association between neck muscle coactivation, pain, and strength in women with neck pain." *Man Ther* **16**(1): 80-86.
- Lourenco, A.S., et al. (2016). "Neck Flexor and Extensor Muscle Endurance in Subclinical Neck Pain: Intrarater Reliability, Standard Error of Measurement, Minimal Detectable Change, and Comparison With Asymptomatic Participants in a University Student Population." *J Manipulative Physiol Ther* **39**(6): 427-433.
- Ludvigsson, M.L., et al. (2016). "Factors associated with pain and disability reduction following exercise interventions in chronic whiplash." *Eur J Pain* **20**(2): 307-315.
- Ludvigsson, M.L., et al. (2015). "The effect of neck-specific exercise with, or without a behavioral approach, on pain, disability, and self-efficacy in chronic whiplash-associated disorders: a randomized clinical trial." *Clin J Pain* **31**(4): 294-303.
- Luedtke, K., et al. (2016). "Efficacy of interventions used by physiotherapists for patients with headache and migraine-systematic review and meta-analysis." *Cephalalgia* **36**(5): 474-492.
- Luedtke, K., et al. (2016). "International consensus on the most useful physical examination tests used by physiotherapists for patients with headache: A Delphi study." *Man Ther* **23**: 17-24.
- Madeleine, P., et al. (2016). "Effects of chronic neck-shoulder pain on normalized mutual information analysis of surface electromyography during functional tasks." *Clin Neurophysiol* **127**(9): 3110-3117.
- Malmstrom, E.M., et al. (2015). "A slouched body posture decreases arm mobility and changes muscle recruitment in the neck and shoulder region." *Eur J Appl Physiol* **115**(12): 2491-2503.
- Mcclure, P., et al. (2009). "A clinical method for identifying scapular dyskinesis, part 1: reliability." *J Athl Train* **44**(2): 160-164.
- Mclaughlin, L., et al. (2011). "Breathing evaluation and retraining as an adjunct to manual therapy." *Man Ther* **16**(1): 51-52.
- Mercer, S.R., et al. (1996). "Morphology of the cervical intervertebral disc: implications for McKenzie's model of the disc derangement syndrome." *Man Ther* **1**(2): 76-81.
- Metikaridis, T.D., et al. (2016). "Effect of a stress management program on subjects with neck pain: A pilot randomized controlled trial." *J Back Musculoskeletal Rehabil*.
- Michaleff, Z.A., et al. (2014). "Comprehensive physiotherapy exercise programme or advice for chronic whiplash (PROMISE): a pragmatic randomised controlled trial." *Lancet* **384**(9938): 133-141.
- Minkalis, A.L., et al. (2017). "A systematic review of thrust manipulation for non-surgical shoulder conditions." *Chiropr Man Therap* **25**: 1.
- Mork, R., et al. (2016). "Effect of Direct Glare on Orbicularis Oculi and Trapezius During Computer Reading." *Optom Vis Sci* **93**(7): 738-749.
- Mottram, S.L., et al. (2009). "Motion analysis study of a scapular orientation exercise and subjects' ability to learn the exercise." *Man Ther* **14**(1): 13-18.
- Mousavi-Khatir, R., et al. (2016). "Effect of static neck flexion in cervical flexion-relaxation phenomenon in healthy males and females." *J Bodyw Mov Ther* **20**(2): 235-242.
- Noorani, A.M., et al. (2012). "Validation of the Stanmore percentage of normal shoulder assessment." *Int J Shoulder Surg* **6**(1): 9-14.
- Noormohammadpour, P., et al. (2017). "Comparison of the Cross-Sectional Area of Longus Colli Muscle Between Patients With Cervical Radicular Pain and Healthy Controls." *PM R* **9**(2): 120-126.
- Nordander, C., et al. (2000). "Muscular rest and gap frequency as EMG measures of physical exposure: the impact of work tasks and individual related factors." *Ergonomics* **43**(11): 1904-1919.
- O'leary, S., et al. (2011). "Is there altered activity of the extensor muscles in chronic mechanical neck pain? A functional magnetic resonance imaging study." *Arch Phys Med Rehabil* **92**(6): 929-934.
- O'leary, S., et al. (2009). "Muscle dysfunction in cervical spine pain: implications for assessment and management." *J Orthop Sports Phys Ther* **39**(5): 324-333.
- O'leary, S., et al. (2007). "Specific therapeutic exercise of the neck induces immediate local hypoalgesia." *J Pain* **8**(11): 832-839. Epub 2007 Jul 2019.

- O'leary, S., et al. (2006). "Craneo-cervical flexor muscle impairment at maximal, moderate, and low loads is a feature of neck pain." *Man Ther* **12**: 12.
- O'leary, S., et al. (2015). "Morphological changes in the cervical muscles of women with chronic whiplash can be modified with exercise - a pilot study." *Muscle Nerve*.
- O'leary, S., et al. (2014). "Pitfalls in the use of kappa when interpreting agreement between multiple raters in reliability studies." *Physiotherapy* **100**(1): 27-35.
- Ozturk, G., et al. (2016). "Efficacy of kinesio tape application on pain and muscle strength in patients with myofascial pain syndrome: a placebo-controlled trial." *J Phys Ther Sci* **28**(4): 1074-1079.
- Paanalahti, K., et al. (2016). "Three combinations of manual therapy techniques within naprapathy in the treatment of neck and/or back pain: a randomized controlled trial." *BMC Musculoskelet Disord* **17**: 176.
- Panjabi, M. (1992). "The stabilising system of the spine. Part II. Neutral zone and stability hypothesis." *Journal of Spinal Disorders* **5**(4): 390-397.
- Panjabi, M., et al. (1989). "Spinal stability and intersegmental muscle forces: A biomechanical model." *Spine* **14**(2): 194-199.
- Peolsson, A., et al. (2014). "Does posture of the cervical spine influence dorsal neck muscle activity when lifting?" *Man Ther* **19**(1): 32-36.
- Peolsson, A., et al. (2015). "Preliminary evaluation of dorsal muscle activity during resisted cervical extension in patients with longstanding pain and disability following anterior cervical decompression and fusion surgery." *Physiotherapy* **101**(1): 69-74.
- Petersen, S., et al. (2016). "Scapulothoracic Muscle Strength Changes Following a Single Session of Manual Therapy and an Exercise Programme in Subjects with Neck Pain." *Musculoskeletal Care* **14**(4): 195-205.
- Peterson, G., et al. (2015). "Altered ventral neck muscle deformation for individuals with whiplash associated disorder compared to healthy controls - a case-control ultrasound study." *Man Ther* **20**(2): 319-327.
- Peterson, G., et al. (2016). "Changes in Dorsal Neck Muscle Function in Individuals with Chronic Whiplash-Associated Disorders: A Real-Time Ultrasound Case-Control Study." *Ultrasound Med Biol* **42**(5): 1090-1102.
- Peterson, G.E., et al. (2015). "The effect of 3 different exercise approaches on neck muscle endurance, kinesiophobia, exercise compliance, and patient satisfaction in chronic whiplash." *J Manipulative Physiol Ther* **38**(7): 465-476 e464.
- Pousette, M.W., et al. (2016). "Neck Muscle Strain in Air Force Pilots Wearing Night Vision Goggles." *Aerosp Med Hum Perform* **87**(11): 928-932.
- Raab, M.G., et al. (1996). "Early results of continuous passive motion after rotator cuff repair: a prospective, randomized, blinded, controlled study." *Am J Orthop (Belle Mead NJ)* **25**(3): 214-220.
- Reid, S.A., et al. (2014). "Effects of cervical spine manual therapy on range of motion, head repositioning, and balance in participants with cervicogenic dizziness: a randomized controlled trial." *Arch Phys Med Rehabil* **95**(9): 1603-1612.
- Reid, S.A., et al. (2015). "Manual therapy for cervicogenic dizziness: Long-term outcomes of a randomised trial." *Man Ther* **20**(1): 148-156.
- Revel, M., et al. (1991). "Cervicocephalic kinesthetic sensibility in patients with cervical pain." *Archives of Physical Medicine and Rehabilitation* **72**: 895-899.
- Revel, M., et al. (1994). "Changes in cervicocephalic kinaesthesia after a proprioceptive rehabilitation program in patients with neck pain: A randomised control study." *Archives of Physical Medicine and Rehabilitation* **75**: 895-899.
- Rhon, D., et al. (2017). "Utilization of Manipulative Treatment for Spine and Shoulder Conditions Between Different Medical Providers in a Large Military Hospital." *Arch Phys Med Rehabil*.
- Ritchie, C., et al. (2015). "StressModEx--Physiotherapist-led Stress Inoculation Training integrated with exercise for acute whiplash injury: study protocol for a randomised controlled trial." *J Physiother* **61**(3): 157.
- Roy, J.-S., et al. (2009). "Effect of motor control and strengthening exercises on shoulder function in persons with impingement syndrome: A single-subject study design." *Manual Therapy* **14**(2): 180-188.
- Schleifer, L.M., et al. (2008). "Mental stress and trapezius muscle activation under psychomotor challenge: a focus on EMG gaps during computer work." *Psychophysiology* **45**(3): 356-365.
- Schnider, A., et al. (2000). "Beschwerdebild nach kraniozervikalem Beschleunigungstrauma (whiplash associated disorder)." *Schweizerische Ärztezeitung* **81**(39): 2218-2220.
- Schomacher, J., et al. (2015). "Can neck exercises enhance the activation of the semispinalis cervicis relative to the splenius capitis at specific spinal levels?" *Man Ther* **20**(5): 694-702.
- Schöttker-Königer, T., et al. (2007). "Scapular kinematics in atraumatic shoulder instability [German]." *manuelle therapie* **11**(4): 168-176.
- Shinoda, Y., et al. (1997). "Input patterns and pathways from the six semicircular canals to motoneurons of neck muscles. II. The longissimus and semispinalis muscle groups." *J Neurophysiol* **77**(3): 1234-1258.
- Siivola, S.M., et al. (2002). "MRI changes of cervical spine in asymptomatic and symptomatic young adults." *Eur Spine J* **11**(4): 358-363.
- Sjaastad, O. (2017). "The International Headache Society: The history of its founding." *Cephalalgia* **37**(8): 723-729.
- Sjogaard, G., et al. (2010). "Muscle oxygenation and glycolysis in females with trapezius myalgia during stress and repetitive work using microdialysis and NIRS." *Eur J Appl Physiol* **108**(4): 657-669.
- Sjors, A., et al. (2010). "Salivary cortisol response to acute stress and its relation to psychological factors in women with chronic trapezius myalgia--a pilot study." *Psychoneuroendocrinology* **35**(5): 674-685.
- Smith, M., et al. (2005). "Effect of experimentally induced low back pain on postural sway with breathing." *Exp Brain Res*. **166**(1): 109-117. Epub 2005 Jul 2020.

- Steinmetz, A., et al. (2016). "Neck muscle function in violinists/violists with and without neck pain." Clin Rheumatol **35**(4): 1045-1051.
- Sterling, M. (2004). "A proposed new classification system for whiplash associated disorders--implications for assessment and management." Man Ther **9**(2): 60-70.
- Sterling, M. (2006). "Balancing the 'bio' with the psychosocial in whiplash associated disorders." Man Ther. **11**(3): 180-181. Epub 2006 Mar 2030.
- Sterling, M. (2014). "Physiotherapy management of whiplash-associated disorders (WAD)." J Physiother **60**(1): 5-12.
- Sterling, M., et al. (2006). "Physical and psychological factors maintain long-term predictive capacity post-whiplash injury." Pain. **122**(1-2): 102-108. Epub 2006 Mar 2009.
- Sterling, M., et al. (2004). "Characterization of acute whiplash-associated disorders." Spine **29**(2): 182-188.
- Sterling, M., et al. (2001). "Cervical mobilisation: concurrent effects on pain, sympathetic nervous system activity and motor activity." Manual Therapy **6**(2): 72-81.
- Sterling, M., et al. (2001). "Cervical mobilisation: concurrent effects on pain, sympathetic nervous system activity and motor activity." Man Ther **6**(2): 72-81.
- Sterling, M., et al. (2006). "The relationship between sensory and sympathetic nervous system changes and posttraumatic stress reaction following whiplash injury--a prospective study." J Psychosom Res. **60**(4): 387-393.
- Stewart, M.J., et al. (2007). "Randomized controlled trial of exercise for chronic whiplash-associated disorders." Pain **128**(1-2): 59-68.
- Straker, L., et al. (2005). "Optimizing the interaction of children with information and communication technologies." Ergonomics. **48**(5): 506-521.
- Straker, L.M., et al. (2006). "The association between information and communication technology exposure and physical activity, musculoskeletal and visual symptoms and socio-economic status in 5-year-olds." Child Care Health Dev. **32**(3): 343-351.
- Struyf, F., et al. (2013). "Scapular-focused treatment in patients with shoulder impingement syndrome: a randomized clinical trial." Clin Rheumatol **32**(1): 73-85.
- Svedmark, A., et al. (2016). "Is tailored treatment superior to non-tailored treatment for pain and disability in women with non-specific neck pain? A randomized controlled trial." BMC Musculoskelet Disord **17**(1): 408.
- Szeto, G.P., et al. (2010). "A study of surgeons' postural muscle activity during open, laparoscopic, and endovascular surgery." Surg Endosc **24**(7): 1712-1721.
- Szeto, G.P., et al. (2005). "A comparison of symptomatic and asymptomatic office workers performing monotonous keyboard work--1: neck and shoulder muscle recruitment patterns." Man Ther **10**(4): 270-280.
- Szeto, G.P., et al. (2009). "During computing tasks symptomatic female office workers demonstrate a trend towards higher cervical postural muscle load than asymptomatic office workers: an experimental study." Aust J Physiother **55**(4): 257-262.
- Takasawa, E., et al. (2015). "Characteristics of neck and shoulder pain in the Japanese general population." J Orthop Sci **20**(2): 403-409.
- Tate, A.R., et al. (2009). "A clinical method for identifying scapular dyskinesis, part 2: validity." J Athl Train **44**(2): 165-173.
- Tate, A.R., et al. (2008). "Effect of the Scapula Reposition Test on shoulder impingement symptoms and elevation strength in overhead athletes." J Orthop Sports Phys Ther **38**(1): 4-11.
- Tate, A.R., et al. (2010). "Comprehensive impairment-based exercise and manual therapy intervention for patients with subacromial impingement syndrome: a case series." J Orthop Sports Phys Ther **40**(8): 474-493.
- Testa, M., et al. (2015). "Alterations in Masticatory Muscle Activation in People with Persistent Neck Pain Despite the Absence of Orofacial Pain or Temporomandibular Disorders." J Oral Facial Pain Headache **29**(4): 340-348.
- Tjell, C., et al. (1998). "Smooth pursuit neck torsion test: a specific test for cervical dizziness." Am J Otol **19**(1): 76-81.
- Treleaven, J. (2008). "Sensorimotor disturbances in neck disorders affecting postural stability, head and eye movement control." Man Ther **13**(1): 2-11.
- Treleaven, J. (2011). "Dizziness, unsteadiness, visual disturbances, and postural control: implications for the transition to chronic symptoms after a whiplash trauma." Spine (Phila Pa 1976) **36**(25 Suppl): S211-217.
- Treleaven, J., et al. (2011). "Head eye co-ordination and gaze stability in subjects with persistent whiplash associated disorders." Man Ther **16**(3): 252-257.
- Treleaven, J., et al. (2005). "Standing balance in persistent whiplash: a comparison between subjects with and without dizziness." J Rehabil Med. **37**(4): 224-229.
- Treleaven, J., et al. (2006). "The relationship of cervical joint position error to balance and eye movement disturbances in persistent whiplash." Man Ther. **11**(2): 99-106.
- Treleaven, J., et al. (2003). "Dizziness and unsteadiness following whiplash injury: characteristic features and relationship with cervical joint position error." J Rehabil Med **35**(1): 36-43.
- Treleaven, J., et al. (2008). "Comparison of sensorimotor disturbance between subjects with persistent whiplash-associated disorder and subjects with vestibular pathology associated with acoustic neuroma." Arch Phys Med Rehabil **89**(3): 522-530.
- Treleaven, J., et al. (2012). Trunk-head coordination in neck pain subjects
IFOMPT. Quebec.

- Uthaikeup, S., et al. (2017). "Structural changes of the cervical muscles in elder women with cervicogenic headache." *Musculoskelet Sci Pract* **29**: 1-6.
- Uthaikeup, S., et al. (2017). "Effectiveness of physiotherapy for seniors with recurrent headaches associated with neck pain and dysfunction: a randomized controlled trial." *Spine J* **17**(1): 46-55.
- Valerius, K.P., et al. (2012). *Das Muskelbuch*. Berlin, KVM – Der Medizinverlag.
- Vassiliou, T., et al. (2006). "Physical therapy and active exercises--an adequate treatment for prevention of late whiplash syndrome? Randomized controlled trial in 200 patients." *Pain*. **124**(1-2): 69-76. Epub 2006 May 2011.
- Voerman, G.E., et al. (2006). "Changes in pain, disability, and muscle activation patterns in chronic whiplash patients after ambulant myofeedback training." *Clin J Pain* **22**(7): 656-663.
- Webb, A.L., et al. (2016). "A novel cadaveric study of the morphometry of the serratus anterior muscle: one part, two parts, three parts, four?" *Anat Sci Int*.
- Wegner, S., et al. (2010). "The effect of a scapular postural correction strategy on trapezius activity in patients with neck pain." *Man Ther* **15**(6): 562-566.
- Winters, J.M., et al. (1990). Neck muscle activity and 3D kinematics during quasistatic and dynamic tracking movements. *Multiple Muscle Systems: Biomechanics and Movement Organization*. Winters, J.M. and Woo, S.L.-W. New York, Springer-Verlag: 461-480.
- Wirth, B., et al. (2016). "Respiratory muscle endurance training reduces chronic neck pain: A pilot study." *J Back Musculoskelet Rehabil* **29**(4): 825-834.
- Wong, J.J., et al. (2016). "Are manual therapies, passive physical modalities, or acupuncture effective for the management of patients with whiplash-associated disorders or neck pain and associated disorders? An update of the Bone and Joint Decade Task Force on Neck Pain and Its Associated Disorders by the OPTIMa collaboration." *Spine J* **16**(12): 1598-1630.
- Wright, R.L., et al. (2016). "Metronome Cueing of Walking Reduces Gait Variability after a Cerebellar Stroke." *Front Neurol* **7**: 84.
- Xie, Y., et al. (2016). "A comparison of muscle activity in using touchscreen smartphone among young people with and without chronic neck-shoulder pain." *Ergonomics* **59**(1): 61-72.
- Yamamoto, A., et al. (2010). "Prevalence and risk factors of a rotator cuff tear in the general population." *J Shoulder Elbow Surg* **19**(1): 116-120.
- Yu, L.J., et al. (2011). "The effect of neck torsion on postural stability in subjects with persistent whiplash." *Man Ther* **16**(4): 339-343.
- Zito, G., et al. (2006). "Clinical tests of musculoskeletal dysfunction in the diagnosis of cervicogenic headache." *Man Ther*. **11**(2): 118-129. Epub 2005 Jul 2018.
- Zuniga, C., et al. (1995). "Influence of variation in jaw posture on sternocleidomastoid and trapezius electromyographic activity." *Cranio* **13**(3): 157-162.