

Literatur LWS-Hufte

Wichtigste Bücher

- Hodges, P., J. Cholewicki, et al., Eds. (2013). Spinal Control: The Rehabilitation of Back Pain, Churchill Livingstone. 9780702054549 (**Hodges 2013**)
- Whittaker, Jackie L. (2007)- Ultrasound Imaging for Rehabilitation of the Lumbopelvic Region: A Clinical Approach Churchill Livingstone | ISBN: 0443068569
- Ackerman, A.L., et al. (2016). "MRI suggests increased tonicity of the levator ani in women with interstitial cystitis/bladder pain syndrome." Int Urogynecol J **27**(1): 77-83.
- Allison, K., et al. (2018). "Gluteal tendinopathy and hip osteoarthritis: Different pathologies, different hip biomechanics." Gait Posture **61**: 459-465.
- Amabile, A.H., et al. (2017). "Atrophy of gluteus maximus among women with a history of chronic low back pain." PLoS One **12**(7): e0177008.
- Andersson, G.B., et al. (1983). "The intensity of work recovery in low back pain." Spine (Phila Pa 1976) **8**(8): 880-884.
- Arroll, B., et al. (2005). "Effect of the addition of a "help" question to two screening questions on specificity for diagnosis of depression in general practice: diagnostic validity study." BMJ **331**(7521): 884.
- Bank, P.J., et al. (2011). "Comparing the efficacy of metronome beeps and stepping stones to adjust gait: steps to follow!" Exp Brain Res **209**(2): 159-169.
- Barker, K.L., et al. (2004). "Changes in the cross-sectional area of multifidus and psoas in patients with unilateral back pain: the relationship to pain and disability." Spine (Phila Pa 1976) **29**(22): E515-519.
- Barker, P.J., et al. (2006). "Effects of tensioning the lumbar fasciae on segmental stiffness during flexion and extension: Young Investigator Award winner." Spine (Phila Pa 1976) **31**(4): 397-405.
- Barker, P.J., et al. (2006). "Effects of tensioning the lumbar fasciae on segmental stiffness during flexion and extension: Young Investigator Award winner." Spine, **31**(4): 397-405.
- Bergmark, A. (1989). "Stability of the lumbar spine." Acta Orthopædia Scandinavica **60**(supplement 230): 1-54.
- Biabanmoghadam, M., et al. (2016). "Core muscle recruitment pattern during voluntary heel raises is different between patients with patellofemoral pain and healthy individuals." Knee **23**(3): 382-386.
- Bogduk, N. (2000). Klinische Anatomie von Lendenwirbelsäule und Sakrum. Heidelberg, Springer.
- Brinjikji, W., et al. (2015). "MRI Findings of Disc Degeneration are More Prevalent in Adults with Low Back Pain than in Asymptomatic Controls: A Systematic Review and Meta-Analysis." AJNR Am J Neuroradiol **36**(12): 2394-2399.
- Brinjikji, W., et al. (2015). "Systematic literature review of imaging features of spinal degeneration in asymptomatic populations." AJNR Am J Neuroradiol **36**(4): 811-816.
- Brumagne, S., et al. (2000). "The role of paraspinal muscle spindles in lumbosacral position sense in individuals with and without low back pain." Spine **25**(8): 989-994.
- Butler, D., et al. (2005). Schmerzen verstehen. Heidelberg, Springer.
- Cairns, M.C., et al. (2006). "Randomized controlled trial of specific spinal stabilization exercises and conventional physiotherapy for recurrent low back pain." Spine (Phila Pa 1976) **31**(19): E670-681.
- Calley, D.Q., et al. (2010). "Identifying patient fear-avoidance beliefs by physical therapists managing patients with low back pain." J Orthop Sports Phys Ther **40**(12): 774-783.
- Cholewicki, J., et al. (1997). "Stabilizing function of the trunk flexor-extensor muscles around the neutral spine posture." 1997 **22**: 2207-2212.
- Cholewicki, J., et al. (1997). "Stabilizing function of trunk flexor-extensor muscles around a neutral spine posture." Spine **22**(19): 2207-2212.
- Claus, A.P., et al. (2009). "Different ways to balance the spine: subtle changes in sagittal spinal curves affect regional muscle activity." Spine (Phila Pa 1976) **34**(6): E208-214.
- Claus, A.P., et al. (2016). "Thoracic and lumbar posture behaviour in sitting tasks and standing: Progressing the biomechanics from observations to measurements." Appl Ergon **53 Pt A**: 161-168.
- Crisco, J., et al. (1991). "The intersegmental and multisegmental muscles of the lumbar spine: A biomechanical model comparing lateral stabilising potential." Spine **16**: 793-799.
- Cyr, M.P., et al. (2017). "Pelvic floor morphometry and function in women with and without puborectalis avulsion in the early postpartum period." Am J Obstet Gynecol **216**(3): 274 e271-274 e278.
- De Blok, S. (1982). "The connective tissue of the adult female pelvic region. A microscopical analysis." Acta Morphol Neerl Scand **20**(4): 325-346.
- Dello Iacono, A., et al. (2016). "Successful treatment of groin pain syndrome in a pole-vault athlete with core stability exercise: a case report." J Sports Med Phys Fitness.
- Dickenson, E., et al. (2016). "Hip morphology in elite golfers: asymmetry between lead and trail hips." Br J Sports Med **50**(17): 1081-1086.
- Dickenson, E., et al. (2016). "Prevalence of cam hip shape morphology: a systematic review." Osteoarthritis Cartilage **24**(6): 949-961.
- Dolan, P., et al. (1988). "Commonly adopted postures and their effect on the lumbar spine." Spine **13**(2): 197-201.
- Downie, A., et al. (2013). "Red flags to screen for malignancy and fracture in patients with low back pain: systematic review." BMJ **347**: f7095.

- Falla, D., et al. (2017). "People With Chronic Neck Pain Walk With a Stiffer Spine." *J Orthop Sports Phys Ther*: 1-33.
- Falla, D., et al. (2007). "Effect of neck exercise on sitting posture in patients with chronic neck pain." *Phys Ther* **87**(4): 408-417.
- Falla, D., et al. (2006). "Recruitment of the deep cervical flexor muscles during a postural-correction exercise performed in sitting." *Man Ther* **7**: 7.
- Falla, D., et al. (2016). "Perceived pain extent is associated with disability, depression and self-efficacy in individuals with whiplash-associated disorders." *Eur J Pain* **20**(9): 1490-1501.
- Ferreira, M.L., et al. (2007). "Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial." *Pain* **22**: 22.
- Flack, N.A., et al. (2014). "The anatomy of the hip abductor muscles." *Clin Anat* **27**(2): 241-253.
- Frank, J.M., et al. (2015). "Prevalence of Femoroacetabular Impingement Imaging Findings in Asymptomatic Volunteers: A Systematic Review." *Arthroscopy* **31**(6): 1199-1204.
- Fritz, J.M., et al. (2005). "Pragmatic application of a clinical prediction rule in primary care to identify patients with low back pain with a good prognosis following a brief spinal manipulation intervention." *BMC Fam Pract* **6**(1): 29.
- Fritz, J.M., et al. (2007). "Subgrouping patients with low back pain: evolution of a classification approach to physical therapy." *J Orthop Sports Phys Ther* **37**(6): 290-302.
- Gallego Izquierdo, T., et al. (2016). "Comparison of crano-cervical flexion training versus cervical proprioception training in patients with chronic neck pain: A randomized controlled clinical trial." *J Rehabil Med* **48**(1): 48-55.
- Gerrits, M.M., et al. (2014). "Pain, not chronic disease, is associated with the recurrence of depressive and anxiety disorders." *BMC Psychiatry* **14**: 187.
- Gildea, J.E., et al. (2015). "Trunk Dynamics Are Impaired in Ballet Dancers with Back Pain but Improve with Imagery." *Med Sci Sports Exerc* **47**(8): 1665-1671.
- Gladwell, V., et al. (2006). "Does a program of Pilates improve chronic non-specific low back pain?" *Journal of Sport Rehabilitation* **15**(4): 338-350.
- Glynn, C.J., et al. (1981). "Ventilatory response to intractable pain." *Pain* **11**(2): 201-211.
- Goel, V., et al. (1993). "A combined finite element and optimisation investigation of the lumbar spine mechanics with and without muscles." *Spine* **18**(11): 1531-1541.
- Goldby, L.J., et al. (2006). "A randomized controlled trial investigating the efficiency of musculoskeletal physiotherapy on chronic low back disorder." *Spine* **31**(10): 1083-1093.
- Gollwitzer, H., et al. (2017). "How to address ischiofemoral impingement? Treatment algorithm and review of the literature." *J Hip Preserv Surg* **4**(4): 289-298.
- Grimaldi, A., et al. (2009). "The association between degenerative hip joint pathology and size of the gluteus maximus and tensor fascia lata muscles." *Man Ther* **14**(6): 611-617.
- Hall, L., et al. (2009). "Immediate effects of co-contraction training on motor control of the trunk muscles in people with recurrent low back pain." *J Electromyogr Kinesiol* **19**(5): 763-773.
- Halliday, M.H., et al. (2016). "A Randomized Controlled Trial Comparing the McKenzie Method to Motor Control Exercises in People With Chronic Low Back Pain and a Directional Preference." *J Orthop Sports Phys Ther* **46**(7): 514-522.
- Hamilton, C.F. (2002). *Das Muskelbuch: Theorie der Muskelfunktion*. *Das Muskelbuch*. Valerius, K.P. Stuttgart, Hippokrates: 13-19.
- Hammer, N., et al. (2015). "Pelvic Belt Effects on Health Outcomes and Functional Parameters of Patients with Sacroiliac Joint Pain." *PLoS One* **10**(8): e0136375.
- Hicks, G.E. (2011). "Invited commentary on "low interrater reliability of examiners performing the prone instability test: a clinical test for lumbar shear instability"." *Arch Phys Med Rehabil* **92**(6): 920-922.
- Hicks, G.E., et al. (2005). "Preliminary development of a clinical prediction rule for determining which patients with low back pain will respond to a stabilization exercise program." *Arch Phys Med Rehabil* **86**(9): 1753-1762.
- Hides, J., et al. (2011). "The relationship of transversus abdominis and lumbar multifidus clinical muscle tests in patients with chronic low back pain." *Man Ther* **16**(6): 573-577.
- Hides, J.A., et al. (2016). "Activation of the hip adductor muscles varies during a simulated weight-bearing task." *Phys Ther Sport* **17**: 19-23.
- Hides, J.A., et al. (2011). "Screening the lumbopelvic muscles for a relationship to injury of the quadriceps, hamstrings, and adductor muscles among elite Australian Football League players." *J Orthop Sports Phys Ther* **41**(10): 767-775.
- Hides, J.A., et al. (2001). "Long-term effects of specific stabilizing exercises for first-episode low back pain." *Spine* **26**(11): 243-248.
- Hides, J.A., et al. (2001). "Long-term effects of specific stabilizing exercises for first-episode low back pain." *Spine (Phila Pa 1976)* **26**(11): E243-248.
- Hides, J.A., et al. (2007). "Ultrasound imaging assessment of abdominal muscle function during drawing-in of the abdominal wall: an intrarater reliability study." *J Orthop Sports Phys Ther* **37**(8): 480-486.
- Hides, J.A., et al. (1996). "Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain." *Spine* **21**(23): 2763-2769.
- Hides, J.A., et al. (1998). "Use of real-time ultrasound imaging for feedback in rehabilitation." *Manual Therapy* **3**(3): 125-131.
- Hides, J.A., et al. (2014). "Small Multifidus Muscle Size Predicts Football Injuries." *Orthop J Sports Med* **2**(6): 2325967114537588.

- Hodges, P., et al., Eds. (2013). Spinal Control: The Rehabilitation of Back Pain, Churchill Livingstone.
- Hodges, P., et al. (2005). "Intra-abdominal pressure increases stiffness of the lumbar spine." J Biomech **38**(9): 1873-1880.
- Hodges, P., et al. (2003). "Intervertebral stiffness of the spine is increased by evoked contraction of transversus abdominis and the diaphragm: in vivo porcine studies." Spine. **28**(23): 2594-2601.
- Hodges, P., et al. (1996). "Evaluation of the relationship between laboratory and clinical tests of transversus abdominis function." Physiother Res Int **1**(1): 30-40.
- Hodges, P., et al. (2009). "Changes in the mechanical properties of the trunk in low back pain may be associated with recurrence." J Biomech **42**(1): 61-66.
- Hodges, P.W., et al. (2001). "In vivo measurement of the effect of intra-abdominal pressure on the human spine." J Biomech **34**(3): 347-353.
- Hodges, P.W., et al. (2005). "Intra-abdominal pressure increases stiffness of the lumbar spine." J Biomech **38**(9): 1873-1880.
- Hodges, P.W., et al. (2000). "Changes in intra-abdominal pressure during postural and respiratory activation of the human diaphragm." J Appl Physiol **89**(3): 967-976.
- Hodges, P.W., et al. (2015). "Multifidus Muscle Changes After Back Injury Are Characterized by Structural Remodeling of Muscle, Adipose and Connective Tissue, but Not Muscle Atrophy: Molecular and Morphological Evidence." Spine (Phila Pa 1976) **40**(14): 1057-1071.
- Hodges, P.W., et al. (2014). "Can proinflammatory cytokine gene expression explain multifidus muscle fiber changes after an intervertebral disc lesion?" Spine (Phila Pa 1976) **39**(13): 1010-1017.
- Hodges, P.W., et al. (2003). "Measurement of muscle contraction with ultrasound imaging." Muscle Nerve **27**(6): 682-692.
- Hodges, P.W., et al. (1996). "Inefficient muscular stabilization of the lumbar spine associated with low back pain. A motor control evaluation of transversus abdominis." Spine **21**(22): 2640-2650.
- Hodges, P.W., et al. (2007). "Postural and respiratory functions of the pelvic floor muscles." Neurourol Urodyn. **26**(3): 362-371.
- Hodges, P.W., et al. (2007). "Postural and respiratory functions of the pelvic floor muscles." Neurourol Urodyn **26**(3): 362-371.
- Hodges, P.W., et al. (2015). "Gain of postural responses increases in response to real and anticipated pain." Exp Brain Res **233**(9): 2745-2752.
- Hodges, P.W., et al. (2016). "Increased duration of co-contraction of medial knee muscles is associated with greater progression of knee osteoarthritis." Man Ther **21**: 151-158.
- Hoffer, J., et al. (1981). "Regulation of soleus muscle stiffness in preamillary cats." Journal of Neurophysiology **45**(2): 267-285.
- Hu, H., et al. (2012). "Understanding the Active Straight Leg Raise (ASLR): an electromyographic study in healthy subjects." Man Ther **17**(6): 531-537.
- Hu, H., et al. (2011). "Is the psoas a hip flexor in the active straight leg raise?" Eur Spine J **20**(5): 759-765.
- Hungerford, B., et al. (2003). "Evidence of altered lumbopelvic muscle recruitment in the presence of sacroiliac joint pain." Spine (Phila Pa 1976) **28**(14): 1593-1600.
- Jeon, I.C., et al. (2017). "Comparison of Hip- and Back-Muscle Activity and Pelvic Compensation in Healthy Subjects During 3 Different Prone Table Hip-Extension Exercises." J Sport Rehabil **26**(4): 216-222.
- Jull, G., et al. (1998). New concepts for the control of pain in the lumbopelvic region. Third interdisciplinary World Congress on Low Back and Pelvic Pain, Vienna.
- Junginger, B., et al. (2009). "Effect of abdominal and pelvic floor tasks on muscle activity, abdominal pressure and bladder neck." Int Urogynecol J Pelvic Floor Dysfunct.
- Karayannis, N.V., et al. (2016). "Movement-based subgrouping in low back pain: synergy and divergence in approaches." Physiotherapy **102**(2): 159-169.
- Keating, L., et al. (2001). "Mid-thoracic tenderness: a comparison of pressure pain threshold between spinal regions, in asymptomatic subjects." Man Ther **6**(1): 34-39.
- Kidd, A., et al. (2002). "Reliability of real-time ultrasound for the assessment of transversus abdominis function." J Gravit Physiol **9**(1): 131-132.
- Kjaer, P., et al. (2007). "Are MRI-defined fat infiltrations in the multifidus muscles associated with low back pain?" BMC Med **5**: 2.
- Kladny B, F.F., Haase I. (2003). "[Evaluation of specific stabilizing exercise in the treatment of low back pain and lumbar disk disease in outpatient rehabilitation]." Z Orthop Ihre Grenzgeb. **141**(4): 401-405.
- Lee, D. (2004). The Pelvic Girdle: An Approach to the Examination and Treatment of the Lumbopelvic-Hip Region, Churchill Livingstone.
- Leung, F.T., et al. (2015). "The relationship between the piriformis muscle, low back pain, lower limb injuries and motor control training among elite football players." J Sci Med Sport **18**(4): 407-411.
- Lipschuetz, M., et al. (2015). "Degree of bother from pelvic floor dysfunction in women one year after first delivery." Eur J Obstet Gynecol Reprod Biol **191**: 90-94.
- Luomajoki, H., et al. (2008). "Movement control tests of the low back; evaluation of the difference between patients with low back pain and healthy controls." BMC Musculoskelet Disord **9**: 170.
- Luomajoki, H., et al. (2009). "Tactile acuity and lumbopelvic motor control in patients with back pain and healthy controls." Br J Sports Med.
- Luomajoki, H., et al. (2011). "Tactile acuity and lumbopelvic motor control in patients with back pain and healthy controls." Br J Sports Med **45**(5): 437-440.

- Luomajoki, H.A., et al. (2018). "Effectiveness of movement control exercise on patients with non-specific low back pain and movement control impairment: A systematic review and meta-analysis." Musculoskelet Sci Pract **36**: 1-11.
- Macdonald, D.A., et al. (2006). "The lumbar multifidus: Does the evidence support clinical beliefs?" Man Ther **20**: 20.
- Marshall, B.M., et al. (2016). "Can a Single-Leg Squat Provide Insight Into Movement Control and Loading During Dynamic Sporting Actions in Patients With Athletic Groin Pain?" J Sport Rehabil **25**(2): 117-125.
- Marshall, P., et al. (2009). "Delayed abdominal muscle onsets and self-report measures of pain and disability in chronic low back pain." J Electromyogr Kinesiol.
- Mattila, M., et al. (1986). "The multifidus muscle in patients with lumbar disc herniation. A histochemical and morphometric analysis of intraoperative biopsies." Spine (Phila Pa 1976) **11**(7): 732-738.
- Mclaughlin, L. (2009). "Breathing evaluation and retraining in manual therapy." J Bodyw Mov Ther **13**(3): 276-282.
- Mclaughlin, L., et al. (2011). "Breathing evaluation and retraining as an adjunct to manual therapy." Man Ther **16**(1): 51-52.
- Mcmeeken, J., et al. (2004). "The relationship between EMG and change in thickness of transversus abdominis." Clin Biomech **19**(4): 337-342.
- Mellor, R., et al. (2018). "Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial." Br J Sports Med **52**(22): 1464-1472.
- Mendis, M.D., et al. (2016). "Effect of motor control training on hip muscles in elite football players with and without low back pain." J Sci Med Sport **19**(11): 866-871.
- Min, J.H., et al. (2013). "Association between radiculopathy and lumbar multifidus atrophy in magnetic resonance imaging." J Back Musculoskelet Rehabil **26**(2): 175-181.
- Mok, N.W., et al. (2004). "Hip strategy for balance control in quiet standing is reduced in people with low back pain." Spine **29**(6): E107-112.
- Moseley, G.L. (2008). "I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain." Pain **140**(1): 239-243.
- Moseley, G.L., et al. (2002). "Deep and superficial fibers of the lumbar multifidus muscle are differentially active during voluntary arm movements." Spine (Phila Pa 1976) **27**(2): E29-36.
- Moseley, L. (2002). "Combined physiotherapy and education is efficacious for chronic low back pain." Aust J Physiother **48**(4): 297-302.
- Nardo, L., et al. (2015). "Femoroacetabular Impingement: Prevalent and Often Asymptomatic in Older Men: The Osteoporotic Fractures in Men Study." Clin Orthop Relat Res **473**(8): 2578-2586.
- Nordin, M., et al. (2002). "Association of comorbidity and outcome in episodes of nonspecific low back pain in occupational populations." J Occup Environ Med **44**(7): 677-684.
- O'sullivan, P.B., et al. (2007). "Changes in pelvic floor and diaphragm kinematics and respiratory patterns in subjects with sacroiliac joint pain following a motor learning intervention: a case series." Man Ther **12**(3): 209-218.
- Oh, J.S. (2014). "Effects of Pelvic Belt on Hip Extensor Muscle EMG Activity during Prone Hip Extension in Females with Chronic Low Back Pain." J Phys Ther Sci **26**(7): 1023-1024.
- Osullivan, P.B., et al. (1997). "Evaluation of specific stabilisation exercises in the treatment of chronic low back pain with radiological diagnosis of spondylolysis or spondylolithesis." Spine **22**: 2959-2967.
- Panjabi, M. (1992). "The stabilising system of the spine. Part II. Neutral zone and stability hypothesis." Journal of Spinal Disorders **5**(4): 390-397.
- Park, K.M., et al. (2010). "Effects of the pelvic compression belt on gluteus medius, quadratus lumborum, and lumbar multifidus activities during side-lying hip abduction." J Electromyogr Kinesiol **20**(6): 1141-1145.
- Park, R.J., et al. (2014). "Anticipatory postural activity of the deep trunk muscles differs between anatomical regions based on their mechanical advantage." Neuroscience **261**: 161-172.
- Plinsinga, M.L., et al. (2018). "Psychological factors not strength deficits are associated with severity of gluteal tendinopathy: A cross-sectional study." Eur J Pain **22**(6): 1124-1133.
- Pool-Goudzwaard, A.L., et al. (2005). "Relations between pregnancy-related low back pain, pelvic floor activity and pelvic floor dysfunction." Int Urogynecol J Pelvic Floor Dysfunct **16**(6): 468-474.
- Pool-Goudzwaard, A.L., et al. (1998). "Insufficient lumbopelvic stability: a clinical, anatomical and biomechanical approach to a specific low back pain." Manual Therapy **3**(1): 12-20.
- Rantanen, J., et al. (1993). "The lumbar multifidus muscle five years after surgery for a lumbar intervertebral disc herniation." Spine (Phila Pa 1976) **18**(5): 568-574.
- Rasmussen, J., et al. (2008). "Manipulation does not add to the effect of extension exercises in chronic low-back pain (LBP). A randomized, controlled, double blind study." Joint Bone Spine **75**(6): 708-713.
- Reiman, M.P., et al. (2015). "Diagnostic accuracy of clinical tests for the diagnosis of hip femoroacetabular impingement/labral tear: a systematic review with meta-analysis." Br J Sports Med **49**(12): 811.
- Retchford, T.H., et al. (2013). "Can local muscles augment stability in the hip? A narrative literature review." J Musculoskelet Neuronal Interact **13**(1): 1-12.
- Richardson, C.A., et al. (2002). "The relation between the transversus abdominis muscles, sacroiliac joint mechanics, and low back pain." Spine **27**(4): 399-405.
- Richardson, C.A., et al. (2002). "The relation between the transversus abdominis muscles, sacroiliac joint mechanics, and low back pain." Spine (Phila Pa 1976) **27**(4): 399-405.
- Roling, M.A., et al. (2016). "Incidence of symptomatic femoroacetabular impingement in the general population: a prospective registration study." J Hip Preserv Surg **3**(3): 203-207.

- Roussel, N., et al. (2009). "Altered breathing patterns during lumbopelvic motor control tests in chronic low back pain: a case-control study." *Eur Spine J* **18**(7): 1066-1073.
- Sapsford, R., et al. (1997). Activation of pubococcygeus during a variety of isometric abdominal exercises. International Continence Society Conference, Japan.
- Sapsford, R.R., et al. (2001). "Contraction of the pelvic floor muscles during abdominal maneuvers." *Arch Phys Med Rehabil* **82**(8): 1081-1088.
- Sapsford, R.R., et al. (2012). "The effect of abdominal and pelvic floor muscle activation on urine flow in women." *Int Urogynecol J* **23**(9): 1225-1230.
- Sapsford, R.R., et al. (2001). "Co-activation of the abdominal and pelvic floor muscles during voluntary exercises." *Neurourol Urodyn* **20**(1): 31-42.
- Sapsford, R.R., et al. (2008). "Pelvic floor muscle activity in different sitting postures in continent and incontinent women." *Arch Phys Med Rehabil* **89**(9): 1741-1747.
- Saragiotto, B.T., et al. (2016). "Motor control exercise for chronic non-specific low-back pain." *Cochrane Database Syst Rev*(1): CD012004.
- Shirley, D., et al. (2003). "Spinal stiffness changes throughout the respiratory cycle." *J Appl Physiol* **95**(4): 1467-1475.
- Smith, M.D., et al. (2006). "Postural activity of the pelvic floor muscles is delayed during rapid arm movements in women with stress urinary incontinence." *Int Urogynecol J Pelvic Floor Dysfunct* **1**: 1.
- Smith, M.D., et al. (2008). "Is balance different in women with and without stress urinary incontinence?" *Neurourol Urodyn* **27**(1): 71-78.
- Smith, M.D., et al. (2009). "Do incontinence, breathing difficulties, and gastrointestinal symptoms increase the risk of future back pain?" *J Pain* **10**(8): 876-886.
- Smith, M.D., et al. (2014). "The relationship between incontinence, breathing disorders, gastrointestinal symptoms, and back pain in women: a longitudinal cohort study." *Clin J Pain* **30**(2): 162-167.
- Solomon, L.B., et al. (2010). "Anatomy of piriformis, obturator internus and obturator externus: implications for the posterior surgical approach to the hip." *J Bone Joint Surg Br* **92**(9): 1317-1324.
- Solomonow, M., et al. (2002). "Neuromuscular disorders associated with static lumbar flexion: a feline model." *J Electromyogr Kinesiol* **12**(2): 81-90.
- Stafford, R.E., et al. (2016). "Pattern of activation of pelvic floor muscles in men differs with verbal instructions." *Neurourol Urodyn* **35**(4): 457-463.
- Stafford, R.E., et al. (2012). "Novel insight into the dynamics of male pelvic floor contractions through transperineal ultrasound imaging." *J Urol* **188**(4): 1224-1230.
- Stafford, R.E., et al. (2012). "Activation of the striated urethral sphincter to maintain continence during dynamic tasks in healthy men." *Neurourol Urodyn* **31**(1): 36-43.
- Stafford, R.E., et al. (2015). "Validity of Estimation of Pelvic Floor Muscle Activity from Transperineal Ultrasound Imaging in Men." *PLoS One* **10**(12): e0144342.
- Stafford, R.E., et al. (2010). "A novel transurethral surface electrode to record male striated urethral sphincter electromyographic activity." *J Urol* **183**(1): 378-385.
- Sterling, M., et al. (2001). "Cervical mobilisation: concurrent effects on pain, sympathetic nervous system activity and motor activity." *Manual Therapy* **6**(2): 72-81.
- Stuge, B., et al. (2006). "To treat or not to treat postpartum pelvic girdle pain with stabilizing exercises?" *Man Ther Epub*.
- Stuge, B., et al. (2004). "The efficacy of a treatment program focusing on specific stabilizing exercises for pelvic girdle pain after pregnancy: a two-year follow-up of a randomized clinical trial." *Spine* **29**(10): E197-203.
- Suni, J., et al. (2006). "Control of the lumbar neutral zone decreases low back pain and improves self-evaluated work ability: a 12-month randomized controlled study." *Spine* **31**(18): E611-620.
- Teyhen, D.S., et al. (2007). "Rehabilitative ultrasound imaging of the abdominal muscles." *J Orthop Sports Phys Ther* **37**(8): 450-466.
- Tsao, H., et al. (2011). "ISSLS prize winner: Smudging the motor brain in young adults with recurrent low back pain." *Spine (Phila Pa 1976)* **36**(21): 1721-1727.
- Tsao, H., et al. (2010). "Motor training of the lumbar paraspinal muscles induces immediate changes in motor coordination in patients with recurrent low back pain." *J Pain* **11**(11): 1120-1128.
- Tsao, H., et al. (2008). "Persistence of improvements in postural strategies following motor control training in people with recurrent low back pain." *J Electromyogr Kinesiol* **18**(4): 559-567.
- Tsao, H., et al. (2010). "Experimentally induced low back pain from hypertonic saline injections into lumbar interspinous ligament and erector spinae muscle." *Pain* **150**(1): 167-172.
- Tsao, H., et al. (2011). "Changes in excitability of corticomotor inputs to the trunk muscles during experimentally-induced acute low back pain." *Neuroscience* **181**: 127-133.
- Van Tilburg, C.W.J., et al. (2017). "Inter-rater reliability of diagnostic criteria for sacroiliac joint-, disc- and facet joint pain." *J Back Musculoskelet Rehabil* **30**(3): 551-557.
- Vleeming, A., et al. (1990). "Relation between form and function in the sacroiliac joint. Part I: Clinical anatomical aspects." *Spine* **15**(2): 130-132.
- Wall, P.D., et al. (2016). "Personalised Hip Therapy: development of a non-operative protocol to treat femoroacetabular impingement syndrome in the FASHIoN randomised controlled trial." *Br J Sports Med* **50**(19): 1217-1223.
- Walti, P., et al. (2015). "Short-term effect on pain and function of neurophysiological education and sensorimotor retraining compared to usual physiotherapy in patients with chronic or recurrent non-specific low back pain, a pilot randomized controlled trial." *BMC Musculoskelet Disord* **16**: 83.

- Wilke, H.J., et al. (1995). "Stability increase of the lumbar spine with different muscle groups: A biomechanical in vitro study." Spine **20**(2): 192-198.
- Wilson, A., et al. (2016). "Measuring ultrasound images of abdominal and lumbar multifidus muscles in older adults: A reliability study." Man Ther **23**: 114-119.
- Wilson, M.D., et al. (2016). "Treatment of ischiofemoral impingement: results of diagnostic injections and arthroscopic resection of the lesser trochanter." J Hip Preserv Surg **3**(2): 146-153.
- Wright, R.L., et al. (2016). "Metronome Cueing of Walking Reduces Gait Variability after a Cerebellar Stroke." Front Neurol **7**: 84.
- Zhao, W.P., et al. (2000). "Histochemistry and morphology of the multifidus muscle in lumbar disc herniation: comparative study between diseased and normal sides." Spine **25**(17): 2191-2199.